



Sign Type 2 Fabricate and install one set of custom fabricated aluminum letters with push thru acrylic inline

- "PANERA BREAD" to be halo lit fabricated aluminum letters with an inset aluminum letter face. .063 returns .090 faces clear sanded lexan backs. Paint etter faces and interior returns Snowmist. Paint returns Duranodic Bronze. Peg mount 1" off exterior wall finish.
- Inline in copy to be routed out of aluminum face and backed with shelved push thru 1" clear acrylic (net push through of 3/4"). Acrylic edges to be frosted. Add 1st surface black/white 3M 3635-22B opaque vinyl film to push thru face and then Gerber 230-69 matte Duranodic Bronze opaque vinyl film applied over. Apply 3M 3635-30 40% diffuser to second surface of push thru.

Illuminate letters with Sloan Prism 6500k white LEDs, double standard quantity for maximum brightness.

Paint all standoffs to match returns.

Power supplies will be remote. Verify conditions at site.

MP 20147, satin finish



Opaque Gerber matte

building identification; additional sign not to exceed 30 S/F Total proposed signage:

75 S/F to beused in one or two signs for

Sign allowance for Single-Tenant building Zone B:

South: 29.17 S/F East: 29.17 S/F North or West: 29.17 S/F



676 GEORGE WASHINGTON HIGHWAY LINCOLN, RI 02865-4255

401-334-9100 401-334-7799

www.mandevillesign.com

APPROVALS Engineering Sales DATE Estimating DATE

DATE Quality Control

Production

REVISIONS DESCRIPTION JM updated sign NTE 20'-0" in length 02/12/19 10

All electrical signs shall comply with the National Electric Code (Article 600) and be manufactured according to Underwriters Laboratories U.L. 48 standards and labeled accordingly.

31984-1



STORE NUMBER

DILLON, CO

2461

PROJECT MANAGER Carla M.

WD 01/23/19





WEST ELEVATION: 1/8" = 1'- 0" Total sign area: 39.87 SQ.FT.





676 GEORGE WASHINGTON HIGHWAY LINCOLN, RI 02865-4255

401-334-9100 401-334-7799

www.mandevillesign.com

APPROVALS
Signatures Required Before Release to Production

DATE

Engineering

Sales DATE Estimating

Production DATE

Quality Control

PDF NAME

REVISIONS

TIEVIOIOTO				
NO	. BY	DESCRIPTION	DAT	
1	JM	updated sign NTE 20'-0" in length	02/12/19	
2				
3				
4				
5				
6				
7				
8				
9				
10				

All electrical signs shall comply with the National Electric Code (Article 600) and be manufactured according to Underwriters Laboratories U.L. 48 standards and labeled accordingly.

31984-1

BREAD


STORE NUMBER

DILLON, CO

2461

PROJECT MANAGER Carla M.

WD 01/23/19
ARTIST DATE





676 GEORGE WASHINGTON HIGHWAY LINCOLN, RI 02865-4255

401-334-9100 401-334-7799

www.mandevillesign.com

APPROVALS
Signatures Required Before Release to Production

DATE

 Engineering
 DATE

 BY
 DATE

 Sales
 BY
 DATE

 Estimating
 DATE

Production
BY DATE

Quality Control

PDF NAME

REVISIONS

NO	. BY	DESCRIPTION	DAT	
1	JM	added windows and awning	02/12	
2	JM	updated sign NTE 20'-0" in length	02/12/19	
3				
4				
5				
6				
7				
8				
9				
10				

All electrical signs shall comply with the National Electric Code (Article 600) and be manufactured according to Underwriters Laboratories U.L. 48 standards and labeled accordingly.

31984-1

PANERA

CUSTOME

STORE NUMBER

DILLON, CO

2461

LOCATION

PROJECT MANAGER Carla M.

WD

WD 01/23/19
ARTIST DATE

31984.4


UA/INIO NIAME

WD 01/23/19
ARTIST DATE


31984.5

36"

AWNING FRAME SECTION: 1" = 1'- 0"



• DIRECT BURIAL IN FREE-FORMED CONCRETE FOOTING






D/F SPLIT-FACE DIRECTIONAL SIGN w/ LOGO



S/F SPLIT-FACE DIRECTIONAL SIGN w/ LOGO




STORE NUMBER

2461


DILLON, CO


PROJECT MANAGER Carla M.

WD 01/23/19
ARTIST DATE











676 GEORGE WASHINGTON HIGHWAY LINCOLN, RI 02865-4255

401-334-9100 401-334-7799

www.mandevillesign.com

APPROVALS Signatures Required Before Release to Production

DATE

Engineering Sales DATE Estimating

DATE Quality Control

Production

	REVISIONS					
NO	. BY	DESCRIPTION	DA			
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						

All electrical signs shall comply with the National Electric Code (Article 600) and be manufactured according to Underwriters Laboratories U.L. 48 standards and labeled accordingly.

31984-1

BREAD


STORE NUMBER

DILLON, CO

2461

PROJECT MANAGER Carla M.


WD 01/23/19
ARTIST DATE




- SWITCH AND 6'-7" 3 PRONG POWER CORD OUT TOP.
- SUPPLY (2) 6' LENGTHS OF 1/4-20 BLACK OXIDE THREADED ROD AND (2) ALUMINUM PAINTED ANGLE CLIPS FOR INSTALLATION. **FACE SPECS:**
- Custom 1" Wide Aluminum Angle Trim to Retain Faces
- Trim Secured to Flange in Face Side of Frame with (12) 8-32 x 1" Long Flat Head Brass Sheet Metal Screws.
- .177" #7328 White Optix DL Medium Impact Acrylic Face with 1st Surface Digital Print and Matte Clear Overlaminate. **BACK SPECS:**
- 1/8" Thick Aluminum Back.
- Secure to the Frame with 8-32 x 1/2" Long Flat Head Brass Sheet Metal Screws.
- Paint Back Side of Aluminum Back ZAP White.
- Paint Face and Edge of MP02545 Cream, RAL 9001, Satin Finish per Formula.
- 1st Surface Digitally Printed Vinyl Graphics with Satin Overlaminate, All Cut with Background Removed.

FRAME SPECS:

- 2 1/4" x 1 1/4", Finished OD, x 1/8" Brakeformed Aluminum Channel Frame.
- End Fillers to receive a "Scribe" on the Fillers and Wrapping the Flanges 4" in from Each End.
- Install Toggle Switch to Right of Cord Grip 1 1/2"+-.
- PL- PODS White LEDS on the Inside of the End and Bottom Fillers Only on 3"+- Centers.
- (1) 60 Watt Class 2 Power Supply mounted to Aluminum Plate w/ (2) 6-32 x 1/2" Welded Studs. Plate is Spot Welded into the Top Channel.
- Continuous Brake Formed .040 White Aluminum Raceway Cover secured to the Back Flange with Flat Head Screws.
- Paint the Outside MP29527 Midsummer Night per Formula, Satin Finish.





2" ALUM. ANGLE

DILLON, CO

PROJECT MANAGER Carla M.

WD 01/23/19